

**GUIDELINES FOR MOVEMENT OVER  
SOUTH CAROLINA HIGHWAYS OF  
OVERSIZE AND OVERWEIGHT (OSOW) VEHICLES AND LOADS**

Statute Authority: SC Code of Law Section 56-5-4010 through 56-5-4230 and 57-3-130 through 57-3-190  
The caption and/or section headings contained in these guidelines are not binding and are only used for reference purposes.

**A. PARTIAL EXEMPTIONS FOR IMPLEMENTS OF HUSBANDRY, FIRE APPARATUS, FORESTRY AND ROAD MACHINERY:** Implements of husbandry (farm equipment) transported by commercial vehicle, fire apparatus, forestry equipment or road machinery are exempt from the laws governing size and weight. A routing permission permit must be obtained when one or more of the dimensions exceed 12 feet wide, 13 feet 6 inches high and/or 89,999 pounds as prescribed on January 1, 1970, by the State Highway Engineer and approved by the Chief Highway Commissioner.

- 1) Road machinery is charged an administrative fee of \$10.00. The permit is valid for 6 months for a load up to 130,000 pounds and 2 months for a load over 130,000 lbs. Governmental entities are exempt from the \$10.00 administrative fee.
- 2) Implements of husbandry, fire apparatus & forestry equipment are exempt from administrative and permit fees. The permit is valid for 30 days.

**B. DISCRETIONARY OS/OW PERMIT:** The Department may exercise its discretion in issuing permits for transporting non-divisible loads and/or vehicles which exceed the legal size and weight limits, provided that:

- 1) Non-divisible is defined as a load consisting of one single item that cannot be readily disassembled so as to reduce the size and/or gross weight to the legal limits. Emergency exceptions shall only be approved by the Permit Director. See Code of Federal Regulations, Title 23, Part 658.5 for definition of non-divisible load or vehicle.
- 2) Every such movement shall be routed over highways having 12 foot wide or wider lanes whenever possible, except in emergencies or where there is good cause to show that such movement is in the public interest.
- 3) The Department may limit or prescribe conditions of operation of such vehicles.
- 4) The Department may require such insurance and/or other security as it deems necessary.
- 5) Such movement is made so as not to damage the highways nor unduly interfere with highway traffic

**C. REVOCATION OF PERMIT AND SUSPENSION OF SERVICE:** Failure to comply with the laws, regulations or guidelines may result in the immediate revocation of the permit. Violations include convictions under 56-5-4160 and from other state jurisdictions. Permits revoked shall not be reissued to the same transporting company.

- 1) Upon revocation of the permit, the responsible party is not eligible for an oversize/overweight permit for the movement of that load
- 2) If there is a second revocation, within 6 months of the first revocation, there is 1 year suspension.
- 3) If there is a third revocation, within 1 year of the second revocation, there is a 5 year suspension.
- 4) The fourth and subsequent revocation will result in a permanent suspension.

**D. APPLICATION FOR OVERSIZE AND OVERWEIGHT SINGLE, PERMISSION & MULTIPLE TRIP PERMITS.** All permits shall be secured from the **Oversize/Overweight Permit Office** at the **South Carolina Department of Transportation, P. O. Box 191, Columbia, South Carolina, 29202. Telephone No (803) 737-OSOW.** The Permit Office maintains hours between 8:00 A.M. and 4:30 P.M. except Saturday, Sunday and holidays.

- 1) **Applying for Permits:** Applying for permits shall be made by one of the following:
  - a) Internet: [WWW.SCDOT.ORG](http://WWW.SCDOT.ORG) click on OS/OW Permits under Quick links
  - b) Fax: (803) 737-2199 (SC application forms are located on the OSOW web page)
  - c) Mail: SCDOT/OSOW, PO Box 191, Columbia, SC 29202
  - d) Telephone: (803) 737-6769 (single & permission trip request only)
  
- 2) **Web Access to Obtain Permits:** An account may be set-up with the SC Permit office to access the online permitting system by filling out an Account Set-up form located on the above web page and submitted by fax to (803) 737-2199. An account number, user ID and password to access the web will be issued and faxed back to the fax number indicated on the account set-up form. Permits shall be purchased with monies from an established escrow account or credit card.
  - a) **Escrow Account:** SC Department of Transportation may accept an advance deposit in the amount of \$200.00 or more to establish an escrow account. An amount may be added to this deposit as long as the amount, when added to the present balance, equals \$200.00 or more. Escrow accounts may be replenished by check, money order or monies transferred from a credit card. A monthly statement is available electronically showing the escrow accounts activity. Escrow accounts can be closed by contacting the Director of Permits in writing. **Please note when transferring monies from a credit card to an escrow account up to \$125.00, an additional \$5.00 is charged by the credit card authorizer. Transfers greater than \$125.00 are charged a percentage of the total amount to be transferred. Please contact the permit office for specific fee charges.**
  - b) **Credit Card:** Permits may be purchased using a credit card. Payment type must be changed to credit card and the credit card number must be keyed into the payment field. You can also register your credit card with the Oversize/Overweight Permit office to automatically populate when you choose registered credit card. **Please note that there is an additional \$5.00 charge, per transaction, by the credit card authorizer when using a credit card to order permits.**
  
- 3) **Web Guest User:** Permits can also be ordered online without setting up an escrow account by accessing the OSOW Permit's web page at [www.scdot.org](http://www.scdot.org), click on OSOW Permits under quicklinks, log into SCDOT ARPS and choose guest login. A credit card must be used for payment. **Please note that there is an additional \$5.00 charge, per transaction, by the credit card authorizer.**
  
- 4) **Permit Types:**
  - a) **Single Trip Permit:** A single trip permit shall be issued for non-divisible loads. A single trip permit shall only be used to make a one time move within the date and times specified by permit. The following must also be provided, but not limited to: name, address, contact numbers of transporter, load description, load and trailer dimensions, defined routes (with a beginning and ending address or junctions within one mile), the company's USDOT number, complete vehicle identification number, license tag of the towing vehicle and license tag number of the trailer.

4) **Permit Types (continued):**

- b) **Multiple Trip Permit:** A truck-specific multiple trip permit shall be issued for the movement of non-divisible loads, mobile homes and sealed ocean containers. The complete vehicle identification number and tag number for the towing vehicle is required. Multiple trips may utilize all US, SC and Interstate routes (unless posted for load) for one year with the dimensions below. Travel on secondary routes is prohibited; an additional route specific permit must be obtained from the permit office when traveling on secondary roads. Non-divisible loads and Mobile homes permits can obtain a route specific permit for loads up to a maximum height of 15 feet
- 1) **Non-divisible loads:** up to 14 wide, 13'6 high and 90,000 lbs gross weight on 5 or more axles (not to exceed 40,000 lbs. per tandem).
  - 2) **Mobile Homes:** up to 14 wide, 13'6 high and legal weight.
  - 3) **Sealed Ocean Containers:** up to 8'6 wide, 13'6 high and 90,000 on 5 or more axles (not to exceed 40,000 lbs. per tandem).
- Non-divisible loads and Mobile homes permits can obtain a route specific permit for loads up to a maximum height of 15 feet. This permit can not be self issued by customer.
- c) **Self-Issue Multiple Trip Permit:** Multiple trip permits for non-divisible loads, sealed ocean containers and mobile homes can be self-issued 24 hours, 7 days a week with an OS/OW web account or guest user. The above maximum dimensions will automatically be issued on the permit.
- d) **Permission Permit:** A permission permit shall be issued to transport road machinery (not construction equipment), implements of husbandry (farm equipment), fire and forestry equipment. A permission permit is issued up to six months for multiple trips to be made over one specific route. The following must also be provided: Name, address and contact numbers of transporter, load description, load and trailer dimensions, defined routes (with a beginning and ending address or junctions within one mile) the USDOT number, the complete vehicle identification number and license tag of the towing vehicle.
- e) **Cotton Modular Multiple Trip Permit:** Cotton Modular Vehicle is defined as a single motor vehicle used only to transport seed cotton modules, cotton, or equipment used in the transporting or processing of cotton. The permit shall be issued annually to allow continuous travel on all highways EXCEPT the Interstate. The vehicle identification number and license tag number is required. Cotton modular vehicles may not exceed a width of 110 inches and may not exceed a length of 50 feet extreme overall dimensions, inclusive of front and rear bumpers and load. A maximum of 25,000 pounds per axle is allowed, not to exceed a gross weight of 65,000 on 3 axles. (SC Code of Law 57-3-160)
- f) **Sheet Tobacco Multiple Trip Permit:** Sheet Tobacco Truck is defined as a vehicle used to transport tobacco in sheets, which do not exceed 96 inches in width at the truck bed and 9 feet, 6 inches at the widest part of the load above the truck bed. The permit shall be issued annually and allows continuous travel on all highways. The vehicle identification number and license tag number is required. (SC Code of Law 57-3-140)
- g) **Culvert Pipe Multiple Trip Permit:** A multiple trip permit can be issued for vehicles transporting culvert pipe not to exceed a width of 106 inches. The vehicle identification number and license tag number is required. (SC Code of Law 56-5-4035).
- h) **House Moving Permit:** See Section K.

4) **Permit Types (continued):**

- i) **Superload:** Any load exceeding 130,000 pounds is defined as a superload. Superload routes are analyzed and approved by the Department's Bridge Engineers. Bridge analysis may take up to 5 business days. Axle weights that exceed 20,000 lbs on a single axle for non-divisible loads are reviewed by a bridge engineer for approval or denial.
- 5) **Permit Payment:** Payment for permits shall be made by escrow account, cash, check, money order or by credit card upon application submittal. The permit fee accompanying any application that is denied shall be returned to the person or company named on the application, with the exception of superload application fee.
- 6) **Permit Delivery:** Permits may be picked up in person, faxed, e-mailed or mailed. The permittee shall advise the Oversize Permit Office on how they choose the permit to be sent. Permits must be signed by the permittee upon receipt in order to be valid.
- 7) **Permit Transfer:** Multiple trip permits can be transferred to another vehicle if one of the following is applicable:
  - a) The vehicle is wrecked and no longer operable; provide documentation from insurance company.
  - b) The vehicle is junked; provide junk title or documentation from insurance company.
  - c) The vehicle is sold; provide Bill of Sale.
  - d) The vehicle is stolen; provide documentation from insurance company.
- 8) **Permit Amendment:** An OS/OW Amendment Request Form shall be submitted to the permit office detailing the reasons for the amendment. A new permit, instead of an amendment, shall be required when changes are made to the routes, escorts and/or times of travel.

9) **Permit Fees:**

Single Trip Permit	\$30.00
Excessive width over 16'	\$35.00
Excessive width over 18'	\$40.00
Excessive width over 20'	\$45.00
Excessive width over 22'	\$50.00
Multiple Trip Permit (Annual)	\$100.00
House Moving License (Annual)	\$100.00
Annual Permit Transfer Fee for	
Wrecked, Stolen or Sold trucks being replaced	\$10.00
Road Machinery Administrative Fee	\$10.00
Superload Application Fee (Non-refundable)	\$100.00
Superload Engineering Analysis over 130,000 lbs	\$100.00
Superload Engineering Analysis over 200,000 lbs	\$200.00
Superload Engineering Analysis over 300,000 lbs	\$350.00
Superload Impact Fee over 130,000 lbs	\$3.00/per 1,000 lbs
Sheet Tobacco Truck Permit (Annual)	\$15.00
Cotton Modular Vehicle Permit (Annual)	\$50.00
Culvert Pipe Permit (Annual)	\$15.00
Hay (Annual)	\$20.00

**E. MAXIMUM ALLOWABLE SIZES AND WEIGHTS GRANTED BY PERMIT:** Any exceptions to the maximum limits shall be submitted to the Department with the appropriate drawings, pictures, requested route and reasons for the move. The request shall be submitted no less than 5 days minimum of the proposed move date for approval or disapproval. Any approval shall be at the discretion of the Department.

1) **Overall Length:**

- a) **Non Divisible Loads:** The maximum overall length shall be 125 feet.
- b) **Mobile Homes:** The maximum overall length shall be 100 feet (mobile home 80 feet or less).
- c) **Structural Material:** A pole, pipe, log or other structural material exceeding 80 feet in length may not be transported unless a permit is obtained. The load must be non-divisible and transported on a stretch trailer. (See SC Code of Law 56-5-4090 for legal dimensions.)

2) **Overhang:**

- a) Permits may be issued for a non-divisible load with a maximum rear overhang of 15 feet on a trailer that is LESS than 48 feet. A maximum rear overhang of 10 feet is allowed on a 48 foot or 53 foot trailer. Flags and a rotating amber beacon or strobe light must be on the rear of the load OR flags on the rear of the load and a rear civilian escort with such warning devices required by the Department.
- b) A maximum of 3 feet front overhang is allowed on all trailers.
- c) In all cases, loads on expandable or pole trailers with more than a 6 feet rear overhang shall be equipped with flags and a rotating amber beacon or strobe light on the rear of the load OR flags and a rear escort with such warning devices required by the Department.

3) **Overall Height:**

- a) The maximum overall height of any permitted load must be at least 3 inches less than any overhead structures on a route granted by the permit.
- b) The transporter shall be responsible for checking all overhead vertical clearances and shall make all provisions for raising or removing overhead wires, cables, traffic signals, etc., sufficiently in advance and no less than a minimum of 3 working days prior to the move, to eliminate delays to the highway traffic.
- c) **Route Survey:** ALL loads 16 feet in height and above must provide a department approved route survey prior to permit issuance. A front escort vehicle with a height pole shall be required during the entire move.

4) **Overall Width:**

- a) Mobile homes - 16 feet maximum
- b) Non Divisible Loads - 16 feet maximum

5) **Gross Weights:**

- a) Two axle single unit vehicle 40,000 lbs.
- b) Three axle single unit vehicle 50,000 lbs.
- c) Four or more axle single unit vehicle 65,000 lbs.
- d) Combination of vehicles with three axles 55,000 lbs.
- e) Combination of vehicles with four axles 70,000 lbs.
- f) Combination of vehicles with five axles 90,000 lbs.
- g) Combination of vehicles with six axles 110,000 lbs.
- h) Combination of vehicles with seven axles 130,000 lbs.

**E. MAXIMUM ALLOWABLE SIZES AND WEIGHTS GRANTED BY PERMIT (continued):**

6) **Gross Tandem Weights:**

- |                      |             |
|----------------------|-------------|
| a) Single axle       | 20,000 lbs. |
| b) Two axle tandem   | 40,000 lbs. |
| c) Three axle tandem | 60,000 lbs. |
| d) Four axle tandem  | 80,000 lbs. |

7) **Loads on Straight Trucks:**

- a) A maximum of 5 feet rear overhang is allowed on a straight truck that is bumper to bumper, 40 feet in length. (Allowing a 45 foot overall dimension). Overhang must be legal on straight trucks less than 40 feet bumper to bumper.

8) **Permit Denial/Recall:** In all cases, the Department reserves the right to recall or not issue permits in accordance with the above limitations if there is an abuse of the permit or such a permit would cause an unnecessary amount of disruption in the normal traffic flow.

**F. GENERAL GUIDELINES:** The following are general provisions applicable to all oversize and/or overweight loads:

- 1) **Laws:** All vehicles shall meet the requirements of all applicable laws and regulations.
- 2) **Signed Permits:** An Oversize/Overweight Permit is not valid until signed by an authorized representative of the permittee.
- 3) **Road Selection:** Oversized loads or mobile homes shall be moved over sections of highways selected by the Department.
- 4) **Insurance:** The Department may require the vehicle owner, operator or mover to furnish a bond or insurance prior to the move in an amount to be determined by the Department as a guarantee that the provisions of the permit will be carried out and to reimburse the Department for any damage that may be done to the highway or structures by reason of the movement. This will also pay the cost of any expenses for inspection of the move by the Department. If no damage is done and the Department does not have any expense as a result of the move, the bond will be reimbursed.
- 5) **Weight Ticket:** The Department may, if deemed necessary, require the applicant to furnish a "weight ticket" on each axle and the gross weight of the vehicle or vehicle combination and may require the weighing in the presence of a representative of the Department at a State approved scale.
- 6) **License Requirement:** An overweight permit shall not be granted for the movement of a vehicle with a load that is not licensed to its full limit.
- 7) **No Waivers:** The granting of a permit shall not be construed as waiving any weight limitation that has been or may be established on any highway or any bridge thereon.
- 8) **Pneumatic Tires:** A permit shall not be granted for the movement of any vehicle or combination of vehicles exceeding the legal weight limitation, with or without load, which is not equipped with pneumatic tires

## **F. GENERAL GUIDELINES (continued):**

- 9) **Width of Load:** A load shall be so transported by a vehicle or combination of vehicles so that the least width or length dimension becomes the width of the load. The load shall be transported such that no part of it shall extend across the centerline of the road except when necessary to avoid a collision with objects located near the edge of the road.
- 10) **Permit Extensions:** The Department may, at its discretion, grant an extension of time to the permittee where the same is made necessary because of weather, road conditions or other circumstances that are beyond the control of the vehicle operator.
- 11) **Mobile Home Brakes:** The trailer of mobile homes shall be equipped with satisfactory electric or air brakes.
- 12) **Mobile Home Length:** The mobile home shall not exceed 80 feet in length as measured from the center of the ball cup on the trailer hitch to the extreme end of the mobile home.
- 13) **Obstructing Traffic Flow:** The driver shall remove the towing vehicle along with the load or mobile home from the traveled way to allow any closely following traffic (5 vehicles maximum) to pass and proceed.

## **G. TRAVEL RESTRICTIONS:**

- 1) **Continuous Travel:** Upon request, only loads grossing up to 130,000 lbs. can have continuous travel if all other dimensions are legal.
- 2) **Inclement Weather:** No movement shall be allowed during inclement weather such as heavy rain or fog when visibility is restricted to less than 1,000 feet. Movement shall also be prohibited during periods of high winds or when highways are slippery or hazardous due to ice, snow or sleet. The South Carolina Department of Public Safety Transport Police or Highway Patrol may direct or escort a vehicle off the highway to a place of safety.
- 3) **Speed Limits on Non-Interstates:** The maximum speed on **non-Interstate** highways for a new or used mobile home shall not exceed 45 MPH. All other loads shall not exceed posted speed limit, not to exceed 55 MPH.
- 4) **Speed Limits on Interstates:** The maximum speed on the **Interstate** highways for a **new** mobile home shall be 10 MPH **less** than posted, not to exceed 55 MPH. All other mobile homes shall not exceed 45 MPH. All other non-divisible loads shall not exceed 55 MPH.
- 5) **Speed Limit for Multiple Trip Permits:** **Non-Divisible and Containerized Cargo permits with a maximum gross weight of 90,000 pounds may travel posted speed limit.**
- 6) **Sunday & Holiday Travel Restrictions:** **NO** travel shall be allowed on Sunday, New Year's Day, Memorial Day, Fourth of July, Labor Day, Thanksgiving Day and Christmas Day **OR** from 12:00 noon the day before a holiday until 12:00 noon the day after each holiday (not including Sunday), except upon written approval from the Department.
- 7) **Prohibited Routes During Summer:** Movement is prohibited on Friday and Saturday from Memorial Day through Labor Day over routes including, but not limited to, US-378, SC-327, US-76, SC-576, US-501, SC-22, SC-31 and SC-9 East of I-95 to and from the Myrtle Beach area and on US-17 from the North Carolina line to points South of Myrtle Beach (Georgetown) and on any other routes in the Myrtle Beach vicinity.

## **G. TRAVEL RESTRICTIONS (continued):**

- 8) **Travel times on all loads up to 12 Feet wide:** All loads or mobile homes up to 12 feet wide are allowed to travel one half (1/2) hour after sunrise to one half (1/2) hour before sunset Monday through Saturday.
- 9) **Travel times for loads over 12 feet wide up to 15 feet wide:** All loads over 12 feet wide up to 15 feet wide or mobile homes over 12 feet wide up to and including 14 feet box width (plus a maximum 12 inches top overhang for mobile homes) are allowed to travel one half (1/2) hour after sunrise to one half (1/2) hour before sunset Monday through Saturday EXCEPT travel prohibited in close proximity of large urban areas between 7AM-9AM all days and 3PM-6PM on school days and 4:30-6PM on non-school days.
- 10) **Travel times for loads over 15 feet wide:** All loads over 15 feet wide and mobile homes over 14 feet box width up to and including 16 feet wide shall be moved Monday through Saturday only between the hours of 9AM and 3PM during school days and 9AM and 4 PM other days.
- 11) **Highway Lane Restrictions:** All loads and mobile homes over 14 feet wide up to and including 16 feet wide shall travel on four-lane highways. Travel on two-lane highways shall be restricted to 12-foot wide or wider lane width where possible.
- 12) **Bridge Restrictions:** All loads or mobile homes over 14 feet wide up to and including 16 feet wide shall be the only vehicle on any bridge that is 18 feet wide or less.
- 13) **Convoy:** Multiple permitted loads shall not travel in a convoy. Loads and escorts(s) must be at least 2 miles apart. Exceptions will be considered upon written request to the OSOW Permit Director and under police escorts.

**H. TOWING VEHICLE REQUIREMENTS:** The towing vehicle for all loads or mobile homes shall be at least a three-quarter (3/4) ton or larger pickup truck or truck tractor. The towing vehicle for loads up to 16 feet wide must be in compliance with all recommendations by the manufacturer for the load being hauled and the trailer being utilized. This includes all recommended equipment on the towing vehicle and the trailer. The hauler must be in compliance with all applicable State and Federal laws relative to commercial carriers.

## **I. SIGNS, FLAGS & LIGHT REQUIREMENTS:**

- 1) **Signs or Banners:** On all loads and mobile homes 12 feet wide or wider the permittee shall provide signs on the front and rear of the load reading WIDE LOAD or OVERSIZE LOAD with letters 12 inches high and at least 1 1/2 inches wide.
- 2) **Flags & Lights:** Any motor vehicle having a load or vehicle component which extends beyond the sides more than 4 inches or more than 4 feet beyond the rear shall have the extremities of the load marked with a red flat, not less than 12 inches square. On all loads and mobile homes 12 feet wide or wider red flags must be displayed at each outer four corners of the load. Turn signals and brake lights in working order must be displayed.

## **I. SIGNS, FLAGS & LIGHT REQUIREMENTS (continued):**

- 3) **Warning Lights for load in excess of 12 feet:** The permittee shall provide a rotating amber beacon or strobe light on the rear of the load or mobile home in excess of 12 feet wide up to and including 14 feet wide at a location readily visible to following traffic.
- 4) **Warning Lights for loads in excess of 14 feet:** The permittee shall provide a rotating amber beacon or strobe light on each outer rear corners of the load or mobile home over 14 feet wide up to and including 16 feet wide.

**J. ESCORT REQUIREMENTS:** The Department reserves the right to require escorts where it is deemed necessary for safety purposes. **A vehicle transporting a load can not also serve as an escorting vehicle.**

- 1) **Escort Spacing:** Positioning the escort vehicle with the overdimensional load must be relative to give the traveling public maximum warning and to give the load driver timely and sufficient information to safely maneuver the load.
  - a) **Rear Escort:** 3-4 seconds distance between the escort and the load.
  - b) **Front Escort:** Do not extend the spacing between the escort and the load beyond one-half mile.
- 2) **Radio Contact:** There shall be direct two-way radio communication between the escorting vehicle(s) and the towing vehicle at all times. An escorting vehicle(s) shall not escort or communicate with more than one towing vehicle at a time.
- 3) **Lights:** A rotating amber beacon or strobe light shall be displayed on each escort vehicle. **Hazard lights can not be used or substituted for amber beacon or strobe lights.**
- 4) **Signs:** The escort vehicles shall also display a WIDE LOAD or OVERSIZE LOAD sign on the front of the lead escort vehicle. When a rear escort is required, the sign shall be displayed on the rear of the following escort vehicle.
- 5) **Front Civilian Escorts:** A front escort shall be present on all loads or mobile homes that exceed 12 feet in width up to and including 14 feet in width on two lane highways. The Department reserves the right to require a rear escort where it is deemed necessary for safety purposes.
- 6) **Front Lead Pole Escort:** A front lead pole vehicle/escort shall be present on all loads 16 feet and higher. A route survey, certified as correct by the applicant, shall also be provided with application submittal.
- 7) **Front and Rear Civilian Escorts:** A front and rear escort shall be present at all times with the following dimensions.
  - a) All loads or mobile homes which exceed 14 feet in width up to and including 16 feet in width.
  - b) Overall length of 125 feet and greater.
  - c) Overhang exceeding 15 feet in length.

**J. ESCORT REQUIREMENTS (continued):**

- 8) **Front and Rear Police/Civilian Escorts:** A minimum of one front and one rear police (local, county, city, Highway Patrol or State Transport Police) and one front and one rear civilian escort are required for ALL moves over 16 feet wide, except upon written approval from the Department. The front escort is to be a reasonable distance ahead of the move to alert oncoming traffic in sufficient time of the impending hazard ahead.

**K. FRAME BUILDINGS OR OTHER LOADS OF SIMILAR SIZE**

- 1) An application for a permit to move a building or load in excess of 16 feet in width shall be made with the Resident Maintenance Engineer in each county the load is to be transported or with the Oversize/Overweight (OS/OW) Permit office in Columbia, South Carolina. The OS/OW Permit office will fax the request to each county for approval.
  - a) The application shall be submitted to SCDOT along with an 8x10 portion or portions of a DOT map specifically marked to clearly show each road involved.
  - b) The application shall be signed by the Resident Maintenance Engineer (RME) signifying Departmental approval or disapproval of the requested route of travel. The RME and/or the OS/OW Permit office may select alternate routes of travel and include special provisions or conditions to be observed during movement.
  - c) The RME's office shall fax the application to the OS/OW Permit office within 5 working days. The transporter will not be able to fax or deliver the approved application to the OS/OW Permit office.
  - d) The OS/OW Permit office shall issue a valid SC OS/OW Permit to the transporter and forward a copy to the RME's Office.
- 2) The maximum travel distance for a frame building or load in excess of 16 feet is thirty 30 miles providing the overall dimensions and highway conditions are favorable.
- 3) Travel shall only be allowed between the hours of 9:00 AM and 3:00 PM, Monday through Friday. Night and weekend movement will be allowed at the discretion of the Resident Maintenance Engineer and the OS/OW Permit office. There will be no movement on holidays, major public events, high volume tourism periods or any other dates that are set at the discretion of the SCDOT.
- 4) For moves taking place in hours of darkness, sufficient lighting to alert traffic shall be placed on the transporter, building and/or load.
- 5) A permit shall not be issued for the movement of a frame building or load of any width across a bridge unless the width of subject load is 24 inches less than the distance between the guard rails of the bridge, or if the subject load is loaded such that it will clear the top of the rails by at least 12 inches.
- 6) The transporter shall be responsible for checking all overhead vertical clearances and shall make all provisions for raising or removal of overhead wires, cables, traffic signals, etc. This shall be done no less than a minimum of 3 working days prior to the move, to eliminate delays to the highway traffic.

**K. FRAME BUILDINGS OR OTHER LOADS OF SIMILAR SIZE (continued):**

- 7) A minimum of 4 escorts are required for ALL moves over 16 feet wide, 2 in front and 2 in rear. The transporter is responsible for providing sufficient flagmen and/or escort vehicles to warn approaching traffic of move.
  - a) Escorts shall be a minimum of one front and one rear police (local, county, city, Highway Patrol or State Transport Police) and one front and one rear civilian escort.
  - b) The foremost escorts are to be a reasonable distance ahead of the load to alert oncoming traffic in sufficient time of the impending hazard.
  - c) Radio contact must be maintained between the escorts and the towing vehicle during entire move.
- 8) Proof of valid insurance pursuant to SC Code of Law 56-27-40 shall be provided to the OS/OW Permit office prior to movement (See Section L). Insurance requirements shall be submitted on an Accord Form with SCDOT Oversize/Overweight Permits, PO Box 191, Columbia, SC, 29202 listed as the Certificate Holder.
- 9) For the purpose of obtaining a house moving license pursuant to SC Code of Law 56-27-20, proof of a valid commercial drivers license (CDL) shall be submitted with the house moving license application.
- 10) The transporter will be responsible for contacting the local Emergency Medical Services (EMS) and Fire Department at least 24 hours prior to movement in each town or city that the load will be traveling through. At no time shall a road be blocked for more than 5 minutes where there is only 1 passage or where no detour is available.
- 11) The transporter will be responsible for notifying each county Resident Maintenance Engineer one day prior to actual movement of load.

**L. MINIMUM INSURANCE AND LICENSE REQUIREMENTS FOR PROFESSIONAL HOUSEMOVING:**

**SECTION 56-27-10. Definitions.** As used in this chapter:

- 1) "Person" means an individual, corporation, partnership, association, or any other business entity.
- 2) "House" means a dwelling, building, or other structure in excess of 14 feet in width.

**SECTION 56-27-20. License required.**

All persons who engage in the profession of housemoving on roads and highways of this State must be licensed by the SCDOT.

**SECTION 56-27-30. Term of license; renewal; fee.**

A license issued under the provisions of this chapter is effective for a period of one year from the date of issuance and is renewable on an annual basis. The annual and renewal fee for the license is \$100.00 dollars. All persons issued licenses under the provisions of this chapter are required to carry the license on their persons at all times when engaged in the profession of housemoving on the roads and highways of this State.

**L. MINIMUM INSURANCE AND LICENSE REQUIREMENTS FOR PROFESSIONAL HOUSEMOVING (continued):**

**SECTION 56-27-40. Insurance.** No license may be issued or renewed pursuant to this chapter unless the applicant presents to the Department of Transportation a certificate of insurance from an insurance company licensed to do business in this State providing:

- 1) Motor vehicle insurance with minimum coverage of one hundred thousand dollars for bodily injury to or death of one person in any one accident, three hundred thousand dollars for bodily injury to or death of two or more persons in any one accident, and fifty thousand dollars for injury to or destruction of property of others in any one accident.
- 2) Comprehensive general liability insurance with a minimum coverage of two hundred fifty thousand dollars combined single limit of liability.
- 3) Workers' Compensation insurance that complies with Title 42 if the person licensed as a professional housemover is not exempt from the provisions of that title. The certificate shall provide for continuous coverage during the effective period of the license issued pursuant to this chapter.

**SECTION 56-27-50. Violations; penalties.**

Any person violating the provisions of this chapter is deemed guilty of a misdemeanor and upon conviction must be fined:

- 1) Not less than one hundred dollars for a first offense;
- 2) Not less than five hundred dollars for a second offense;
- 3) Not less than one thousand dollars for a third or subsequent offense.